




Certificate Number T.2024.09.0004  
 Certificate Holder Η εταιρεία Κ. ΜΙΧΟΣ και ΣΙΑ Ο.Ε.  
 Certificate Holder Address Chalandriou Str. 5, Ag. Paraskevi  
 Athens 15343  
 Greece  
 Product Model Name WRL718+BP30, WRL838+BP20, WRL838TDV+BP10,  
 WRL858+BP15, WRL868 INSTR+BP25, WRL738+BP30,  
 WRL728+TR510, REC650+TR650,  
 WRL750+BP35, REC850+WRLM-5  
 Product Description UHF wireless microphone  
 Manufacturer  
 (if different from Certificate Holder)

<b>Type Examination Certificate</b>	In accordance with Annex III of Council Directive 2014/53/EU, Radio Equipment Directive (RED), and the mutual recognition of their conformity we give our opinion that the submitted documentation for the apparatus identified above complies with the requirements of the directive in the scope stated below.
<b>Marking</b>	The apparatus shall be marked with the CE mark as required by the Council Directive 2014/53/EU.
<b>Validity</b>	The conformity stated in this EU-Type Examination Certificate is provided until the assessed type of equipment or the standard(s) has(have) undergone changes or modifications but not later than 10 years after the issue date of this certificate.
<b>Annex</b>	The certificate is only valid together with the annex.

**EU-Type Examination Certificate**

**CE 2784**

St. Ingbert, 27.09.2024  
Place, issue date




Oliver Kneip  
Name & authorized Signature



## Conformity Assessment

Essential Requirement	Examined Documentation	Result
Safety & Health RED, Article 3.1a	Technical Documentation	conform
EMC RED, Article 3.1b	Technical Documentation	conform
Radio Spectrum RED, Article 3.2	Technical Documentation	conform
Additional Requirements RED, Article 3.3 d RED, Article 3.3 e RED, Article 3.3 f RED, Article 3.3 g RED, Article 3.4	Technical Documentation	not assessed not assessed not assessed not assessed not assessed

## Product Characteristics

Brand Name	GILBORD 
Hardware Version	V1.0
Software Version	V1.0
Operating Frequency	660.1 – 689.5 MHz 660.5 – 689.9 MHz
Output Power	9.86 dBm ERP
Antenna	Internal Antenna(s)
Temperature	-10°C - +40°C

## Accessories

Power	Battery	602040 DC 3.7V, 400mAh Manufacture: Shenzhen LJB Technology Co., Ltd.
-------	---------	--

## Evaluated Test Reports

Essential Requirement	Examined Documentation
Safety RED, Article 3.1a	EN IEC 62368-1:2020+A11:2020 Report-No.: CTA24082301204 issued by Shenzhen CTA Testing Technology Co., Ltd.

EU-Type Examination Certificate



<b>Health</b> RED, Article 3.1a	EN 50663:2017, EN62479:2010 Report-No.: CTA24082301203 issued by Shenzhen CTA Testing Technology Co., Ltd.
<b>EMC</b> RED, Article 3.1b	ETSI EN 301 489-1 V2.2.3 (2019-11), ETSI EN 301 489-9 V2.1.1 (2019-04), EN 55032:2015+A11:2020, EN 55035:2017+A11:2020, EN IEC 61000-3-2:2019/A2:2024, EN 61000-3-3:2013/A2:2021/AC:2022 Report-No.: CTA24082301202 issued by Shenzhen CTA Testing Technology Co., Ltd.
<b>Radio Spectrum</b> RED, Article 3.2	ETSI EN 300 422-1 V2.2.1 (2021-11) Report-No.: CTA24082301201 issued by Shenzhen CTA Testing Technology Co., Ltd.

### Limitations / Restrictions

- The assessed Technical Construction File is part of the application.

### Notes

- Changes / Amendments of the specified regulations and standards during the validity of this certificate require a re-assessment of the product before placement on the market.
- The manufacturer is obliged to take all necessary measures to ensure ongoing conformity of the manufactured product with the approved type as described in this certificate and the requirements of Directive 2014/53/EU.
- The CE mark shall be affixed to each item of radio equipment that is in conformity with the type described in this certificate and that satisfies the applicable Directive requirements.
- A copy of the Declaration of Conformity drawn up by the manufacturer for each radio equipment type shall be made available to the relevant authorities and must be kept at their disposal for at least 10 years after the radio equipment has been placed on the market.